	Confidential SIMEDHealth,	, LLC - Psychology Questionnaire	
1 Logal Name			
1. Legal Name	(First)	(Middle)	(Last)
2. Date of Birth	(11130)	(Middle)	(Last)
3. Current Marital Status	Single Married for	years 📮 Divorced foryears 📮 Widowed for	years
4. Do you have children?		many children do you have?	
5. Do you have any history of being neglected and/or emotionally, sexually, or physically abuse?	No YesIf Yes, Please	se describe when, where, and by whom?	
6. What is your highest level of education?		l High School Diploma	:
7. Were you ever held back or failed any grades?	No D YesIf Yes, Pleas	se list which grades you failed or repeated:	
8. Were you ever placed in any remedial or special education classes?	No VesIf Yes, Plea	se list when you were placed in those classes:	
9. Have you ever served in the military?	□ No □ YesIf Yes, Plea	se list branch and years of service:	
10. Are you currently employed?	□ No □ YesIf Yes, Plea	se list your job title and the name of employer:	
<ol> <li>Were you ever involved in a work injury and/or motor vehicle accident?</li> </ol>	🗖 No 🗖 YesIf Yes, Plea	se provide specifics:	
12. Are you currently receiving Workman's Compensation benefits or Social Security Disability (SSDI)?	No D YesIf Yes, Wha	t benefits are you receiving and when did they begin?	
I3. Have you ever been convicted of a felony or have any pending legal problems?	🗅 No 🗅 YesIf Yes, Plea	se provide specifics:	
14. Have you ever received any previous <u>outpatient</u> mental health care (e.g., psychiatric evaluations, psychotherapy, substance/ alcohol abuse counseling)?	🗖 No 🗖 Yes If Yes, Ple	ase describe the mental health care received and dates	:
15. Are you currently drinking caffeinated beverages such as coffee, tea, or colas?	No VesIf Yes, how	many drinks do consume in a day?	
16. Are you currently smoking cigarettes / cigars / pipes?	No DYesIf Yes, how	v many cigarettes / cigars / pipes do you smoke in a day	?
17. Are you currently using chewing tobacco?	No D YesIf Yes, how	r much do you chew in a day?	
18. Are you currently drinking alcoholic beverages?	No D Yes If Yes, how		
19. Do you have a history of using street drugs such as marijuana, cocaine, crack, heroin, ecstasy, crank, LSD, speed, inhalants, etc?		ch drugs have you used and for how long?	
20. Have you experienced any recent changes in your appetite?	Increased appetite <a>Incr</a> Increased appetite <a>Incr</a> Nausea/Vomiting when	ch have you experienced:  No appetite  Decreased reased cravings for certain foods n eating or thinking of food  Other:	appetite 🗖
21. Have you experienced any recent changes in your weight?	No Yes Weight Weight loss of	Ibs. in months	
22. Have you experienced any recent changes in your sleep habits?	Difficulty staying aslee	hich have you experienced: Difficulty getting to slee D Waking up earlier than normal D Night Sweats ytime sleepiness D Daytime napping Nightmares	:h

The questions below ask how often you (the individual receiving care) have been bothered by a list of symptoms during the past **7 days**. Please respond to each item by marking ( $\checkmark$  or x) one box per row.

	PROMIS Emotional Distress—Depression—Short	Never	Rarely	Sometimes	Often	Always
	Form	(1)	(2)	(3)	(4)	(5)
1.	I felt worthless.					
2.	I felt that I had nothing to look forward to.					
3.	I felt helpless.					
4.	I felt sad.					
5.	I felt like a failure.					
6.	I felt depressed.					
7.	I felt unhappy.					
8.	l felt hopeless.					
	PROMIS Emotional Distress—Anxiety— Short	Never	Rarely	Sometimes	Often	Always
	Form	(1)	(2)	(3)	(4)	(5)
1	I folt foorful			, ,		

	Form	(1)	(2)	(3)	(4)	(5)
1.	I felt fearful.					
2.	I felt anxious.					
3.	I felt worried.					
4.	I found it hard to focus on anything other than my anxiety					
5.	I felt nervous.					
6.	I felt uneasy.					
7.	I felt tense.					

	PROMIS Emotional Distress—Anger—	Short Never	Rarely	Sometimes	Often	Always
	Form	(1)	(2)	(3)	(4)	(5)
1.	I was irritated more than people knew.					
2.	I felt angry.					
3.	I felt like I was ready to explode.					
4.	I was grouchy.					
5.	I felt annoyed.					

	Severity Measure for Panic Disorder	Never (0)	Occasionally (1)	Half of the Time (2)	Most of the Time (3)	All of the Time (4)
1.	Felt moments of sudden terror, fear or fright, sometimes out of the blue (i.e., a panic attack)					
2.	Felt anxious, worried, or nervous about having more panic attacks					
3.	Had thoughts of losing control, dying, going crazy, or other bad things happening because of panic attacks					
4.	Felt a racing heart, sweaty, trouble breathing, faint, or shaky					
5.	Felt tense muscles, felt on edge or restless, or had trouble relaxing or trouble sleeping					
6.	Avoided, or did not approach or enter, situations in which panic attacks might occur					
7.	Left situations early, or participated only minimally, because of panic attacks					
8.	Spent a lot of time preparing for, or procrastinating about (putting off), situations in which panic attacks might occur					
9.	Distracted myself to avoid thinking about panic attacks					
10.	Needed help to cope with panic attacks (e.g., alcohol or medication, superstitious objects, other people)					

## SIMEDHealth, LLC - Psychology Questionnaire

Page 3 of 6

		, ,,,,,				C
	National Stressful Events Survey PTSD Short Scale (NSESSS)	Not at all (0)	A little bit (1)	Moderately (2)	Quite a bit (3)	Extremely (4)
1.	Having "flashbacks," that is, you suddenly acted or felt as if a stressful experience from the past was happening all over again (for example, you re-experienced parts of a stressful experience by seeing, hearing, smelling, or physically feeling parts of the experience)?		٦			
2.	Feeling very emotionally upset when something reminded you of a stressful experience?					
3.	Trying to avoid thoughts, feelings, or physical sensations that reminded you of a stressful experience?					
4.	Thinking that a stressful event happened because you or someone else (who didn't directly harm you) did something wrong or didn't do everything possible to prevent it, or because of something about you?					
5.	Having a very negative emotional state (for example, you were experiencing lots of fear, anger, guilt, shame, or horror) after a stressful experience?					
6.	Losing interest in activities you used to enjoy before having a stressful experience?					
7.	Being "super alert," on guard, or constantly on the lookout for danger?					
8.	Feeling jumpy or easily startled when you hear an unexpected noise?					
9.	Being extremely irritable or angry to the point where you yelled at other people, got into fights, or destroyed things?					
	Brief Dissociative Experiences Scale (DES-B) - Modified	Not at All (0)	Once or Twice (1)	Almost Every Day (2)	About Once a Day (3)	More than once a Day (4)
1.	I find myself staring into space and thinking of nothing.					
2.	People, objects, or the world around me seem strange or unreal.					
3.	I find that I did things that I do not remember doing.					
4.	When I am alone, I talk out loud to myself.					
5.	I feel as though I were looking at the world through a fog so that people and things seem far away or unclear.					
6.	I am able to ignore pain.					
7.	I act so differently from one situation to another that it is almost as if I were two different people.					
8.	I can do things very easily that would usually be hard for me.					

During the past **TWO (2) WEEKS** about how often did you use any of the following medicines ON YOUR OWN, that is, <u>without</u> a doctor's prescription, in greater amounts or longer than prescribed?

	NIDA-Modified ASSIST	Not at all (0)	1-2 days (1)	Several Days (2)	More than half the days (3)	Nearly every day (4)
a.	Pain killers (like Vicodin)					
b.	Stimulants (like Ritalin, Adderall)					
с.	Sedatives or tranquilizers (like sleeping pills or Valium)					
d.	Marijuana					
e.	Cocaine or crack					
f.	Club drugs (like ecstasy)					
g.	Hallucinogens (like LSD)					
h.	Heroin					
i.	Inhalants or solvents (like glue)					
ј.	Methamphetamine (like speed)					

CONFIDENTIAL

SIMEDHealth, LLC - Psychology Questionnaire

Florida Obsessive-Compu Inventory (FOCI) Severity		urges" and/or "l	<b>7 days</b> have you beer being driven to perfor es, please complete t	m certain behaviors of	or mental acts over a	
1. On average, how much occupied by these though behaviors each day?		D 0—None	□ 1—Mild (Less than an hour a day)	2—Moderate (1 to 3 hours a day)	□ 3—Severe (3 to 8 hours a day)	□ 4—Extreme (more than 8 hours a day)
2. How much distress do thoughts or behaviors can		0—None	1—Mild (slightly disturbing)	2—Moderate (disturbing but still manageable)	3—Severe (very disturbing)	4—Extreme (overwhelming distress)
3. How hard is it for you t these thoughts or behavior		0— Complete control	1—Much control (usually able to control thoughts or behaviors)	<ul> <li>2—Moderate control</li> <li>(sometimes able to control thoughts or behaviors)</li> </ul>	<ul> <li>3—Little control (infrequently able to control thoughts or behaviors)</li> </ul>	4—No control (unable to control thoughts or behaviors)
4. How much do these th behaviors cause you to av anything, going anyplace, with anyone?	void doing	0—No avoidance	1—Mild (occasional avoidance)	2—Moderate (regularly avoid doing these things)	3—Severe (frequent and extensive avoidance)	4 - Extreme (nearly complete avoidance; house- bound)
5. How much do these th behaviors interfere with s or your social or family lif	school, work,	□ 0—None	1—Mild (slight interference)	2— Moderate; (definite interference with functioning, but still manageable)	3—Severe (substantial interference)	4—Extreme (near-total interference; incapacitated)
Altman Self-Rating Mania Scale (ASRM)	<ol> <li>Choose the</li> <li>have bee</li> <li>Check the</li> <li>Please not</li> </ol>	e one statement n feeling for the p box (✓ or x) next te: The word "occ	tatements/question of in each group that be bast <b>week</b> . It to the number/state asionally" when used "frequently" means n	st describes the way ment selected. here means once or		
Question 1	<ul> <li>2   occasio</li> <li>3   often f</li> <li>4   feel ha</li> </ul>	onally feel happie eel happier or mo ppier or more cho	nore cheerful than usu r or more cheerful tha ore cheerful than usua eerful than usual mos eerful than usual all o	an usual. al. t of the time.		
Question 2	<ul> <li>2   occasio</li> <li>3   often f</li> <li>4   freque</li> </ul>	onally feel more s eel more self-con ntly feel more sel	nfident than usual. elf-confident than usu fident than usual. f-confident than usua ident all of the time.			
Question 3	<ul> <li>2   occasio</li> <li>3   often r</li> <li>4   freque</li> </ul>	need less sleep t onally need less sl need less sleep th ntly need less sle all day and all nig	eep than usual. an usual.	and still not feel tirec	I.	
Question 4	<ul> <li>1 I do not</li> <li>2 I occasio</li> <li>3 I often t</li> <li>4 I freque</li> </ul>	talk more than u onally talk more t alk more than us ntly talk more tha	sual. han usual. ual.			
Question 5	<ul> <li>1   have n</li> <li>2   have o</li> <li>3   have o</li> <li>4   have fi</li> </ul>	ot been more act ccasionally been ften been more a requently been m	ive (either socially, se more active than usua	al.	e, or school) than us	ual.

The questions below ask how often you (the individual receiving care) have been bothered by a list of symptoms during the past **7 days**. Please respond to each item by marking ( $\checkmark$  or x) on one box per row.

	Patient Health Questionnaire Physical Symptoms	Not bothered at all	Bothered a little	Bothered a lot
	(PHQ-15)	(0)	(1)	(2)
1.	Stomach pain			
2.	Back pain			
3.	Pain in your arms, legs, or joints (knees, hips, etc.)			
4.	Menstrual cramps or other problems with your periods (WOMEN ONLY)			
5.	Headaches			
6.	Chest pain			
7.	Dizziness			
8.	Fainting spells			
9.	Feeling your heart pound or race			
10.	Shortness of breath			
11.	Pain or problems during sexual intercourse			
12.	Constipation, loose bowels, or diarrhea			
13.	Nausea, gas, or indigestion			
14.	Feeling tired or having low energy			
15.	Trouble sleeping			

